

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	10/679739	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 09:26
L2	34	kolda.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 09:26
S1	51	("D401195" "4676414" "5067641" "5067647" "5190195" "5244133" "5323915" "5344175" "5372287" "5423566" "5449101" "5573165" "5593172" "5615904" "5690260" "5735539" "5826767" "5845831" "5857602" "5931362" "6000594" "6010144" "6123498" "6164508" "6336580" "6406051").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 13:23
S2	53	("D401195" "4676414" "5067641" "5067647" "5190195" "5244133" "5323915" "5344175" "5372287" "5423566" "5449101" "5573165" "5593172" "5615904" "5690260" "5735539" "5826767" "5845831" "5857602" "5931362" "6000594" "6010144" "6123498" "6164508" "6336580" "6406051" "6688804"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 13:25
S3	31	("2838327" "3271050" "3891237" "4008905" "4348035" "4856686" "5251494" "5333888").PN. OR ("5423566").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/21 14:06
S4	10	("1883696" "2685468" "3782761" "3981517" "4077234" "4418936" "5423566" "5730456").PN. OR ("6598897").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/21 14:08
S5	38	("2492841" "2767676" "3194467" "3198562" "3263058" "4400129" "4456421" "5108018" "5181822" "5190195" "5232133" "5244133" "5303857" "5330084" "5330312" "5333888" "5344175" "5373978" "5423566" "5443189" "5527146" "5529231").PN. OR ("5685686").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/21 14:16

S6	12	("2984502").PN. OR ("5333888").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/21 14:19
S7	27	("4676414" "4856686" "4901896" "5025932" "5232133" "5244133").PN. OR ("5344175").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/21 14:30
S8	44	("2584283" "3528691" "3971186" "4078276" "4576395" "4640658" "4850733" "4915276" "4971509" "5038983" "5092504" "5094373").PN. OR ("5244133").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/21 14:32
S9	28	("3343736" "5169042" "5244133" "5370285" "5469998").PN. OR ("5690260"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/21 14:35
S10	4890	(280/506 280/507 403/367 403/368 403/370 403/374.1 40/374.3 292/49 292/197 292/240 292/241 224/517 224/519 224/522).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:58
S11	2379	S10 and (opening slot aperture hole groove channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:51
S12	2212	S11 and (engag\$4 lock\$4 bind rattle wedge interlock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 15:24
S13	2061	S12 and ((engag\$4 lock\$4 bind rattle wedge interlock) same (opening slot aperture hole groove channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:52
S14	2229	S11 and (tighten fasten engag\$4 lock\$4 bind rattle wedge interlock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 15:24

S15	2061	S14 and ((engag\$4 lock\$4 bind rattle wedge interlock) same (opening slot aperture hole groove channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 15:25
S16	1640	S15 and ((pin bolt axle shaft rod) same (engag\$4 lock\$4 bind rattle wedge interlock) same (opening slot aperture hole groove channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:53
S17	0	tighen\$4 same coupling same cam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:49
S18	8818	(tighten\$4 lock) same coupling same cam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:49
S19	8101	S18 and (opening slot aperture hole groove channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:51
S20	7812	S18 and ((engag\$4 lock\$4 bind rattle wedge interlock) same (opening slot aperture hole groove channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:55
S21	7042	S20 and ((pin bolt axle shaft rod) same (engag\$4 lock\$4 bind rattle wedge interlock) same (opening slot aperture hole groove channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:56
S22	4351	S18 and ((engag\$4 lock\$4 bind rattle wedge interlock) near\$4 (opening slot aperture hole groove channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:55

S23	3113	S22 and ((pin bolt axle shaft rod) near4 (engag\$4 lock\$4 bind rattle wedge interlock) same (opening slot aperture hole groove channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:59
S24	4890	(280/506 280/507 403/367 403/368 403/370 403/374.1 40/374.3 292/49 292/197 292/240 292/241 224/517 224/519 224/522).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:58
S25	3095	S23 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:59
S26	2978	S22 and ((pin bolt axle shaft rod) near4 (engag\$4 lock\$4 bind rattle wedge interlock) same (opening slot aperture hole groove channel))	USPAT; USOCR	OR	ON	2004/12/23 06:59
S27	2963	S26 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 07:01
S28	299	S18 and (cam near4 (inside interior))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 08:10
S29	3531	anti-rattle rattle near4 prevent\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 08:11
S30	1177	S29 and (inside interior)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 08:11